



Accessible Parking Space complying with FBC and ADA requirements (FBC 11-4.1.2)

- Each parking space shall be posted with a fixed non-movable sign of color and design as approved by Florida Department of Transportation, bearing the internationally accepted wheelchair symbol and the caption "PARKING BY DISABLED PERMIT ONLY".
FBC 11-4.6.4
- Each parking space...must be posted with a permanent above-grade sign...which is placed on or at a distance of 84 inches above the ground to the bottom of the sign.
FBC 11-4.6.4
- Each sign erected after October 1, 1996, must indicate the penalty for illegal use of the space.
FBC 11-4.6.4
- Civil penalties of two hundred fifty dollars (\$250.00) may be assessed to persons for illegal stopping, standing or parking of any vehicle in, or obstructing any designated disabled parking space.
- Van accessible spaces located within parking structures are the same as accessible spaces except for:
 1. A wider access aisle of 96" is required to accommodate wheel chair lifts
 2. A minimum vertical clearance of 114" at accessible passenger loading zones and along one vehicle access route. At parking spaces provide minimum vertical clearance of 98".
 3. Provide an additional sign that identifies the space as "van accessible"



Signage

Accessible Parking Space complying with FBC and ADA requirements



october 2011

Typical Parking Space Dimensions by Local Ordinance

Accessible Parking Spaces and Access Aisles shall be level with surface slopes not exceeding 1:50 (2%) in all directions (FBC 11-4.6.3)